

L Number	Hits	Search Text	DB	Time stamp
22	1	("5214754").PN.	USPAT; US-PGPUB	2004/05/14 14:27
-	1	WO-9704404-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 09:10
-	3	5469535.pn. 5537638.pn. 5793900.pn.	USPAT; US-PGPUB	2004/05/11 09:10
-	1	("5617334").PN.	USPAT; US-PGPUB	2004/05/11 09:11
-	2	WO-9930280-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 09:11
-	2	WO-9724000-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 09:11
-	1	("6477267").PN.	USPAT; US-PGPUB	2004/05/11 09:11
-	21	harman-philip\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 09:12
-	14	dynamic-digital-depth-research\$.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 09:24
-	5	("4704627"   "4925294"   "5819017"   "5933547"   "6108005").PN.	USPAT	2004/05/11 09:31
-	8	WO-9414285-\$.did. WO-9637799-\$.did. WO-9903068-\$.did. WO-9912127-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 09:53
-	1	("5434613").PN.	USPAT; US-PGPUB	2004/05/11 09:54
-	172	(382/\$.ccls. or 348/\$.ccls. or 359/\$.ccls. or 356/\$.ccls. or 345/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereo or stereoscopic\$4 or DDC.u/c. or multi-view\$5) same (outlin\$3 or trace\$1 or tracing or edge or boundary or contour or segment\$5 or isolat\$3) near (shape or object or subject or region or area) with (identify\$3 or identified or tag\$4 or label\$4 or number\$3 or depth)	USPAT; US-PGPUB	2004/05/11 10:11
-	65	(382/\$.ccls. or 348/\$.ccls. or 359/\$.ccls. or 356/\$.ccls. or 345/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c.) same (outlin\$3 or trace\$1 or tracing) with (identify\$3 or identified or tag\$4 or label\$4)	USPAT; US-PGPUB	2004/05/11 11:20
-	38	(382/\$.ccls. or 348/\$.ccls. or 359/\$.ccls. or 356/\$.ccls. or 345/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth or range) same (outlin\$3 or trace\$1 or tracing) with (tag\$4 or label\$4)	USPAT; US-PGPUB	2004/05/11 11:23

-	169	(382/154,180,199,203,236,241,242,243.ccls. or 348/26,42,51.ccls. or 359/462.ccls. or 356/2,12,601,611.ccls. or 345/419,421,422,581,582,584.ccls.) and (outlin\$3 or trace\$1 or tracing or segment\$5 or isolat\$3) near (shape or object or subject or region or area or polygon or geometric or edge or boundary or contour) with (identified or tag\$4 or label\$4 or depth or DDC or ID.u/c.)	USPAT; US-PGPUB	2004/05/11 11:25
-	15	xenotech-res\$.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 11:26
-	43	(382/\$.ccls. or 348/\$.ccls. or 359/\$.ccls. or 356/\$.ccls. or 345/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth) same (outlin\$3 or trace\$1 or tracing or contour) same (compar\$5 or correlat\$4 or associat\$3 or correspond\$3 or coincid\$4) with (scene or library or generic or background or environment or milieu or setting)	USPAT; US-PGPUB	2004/05/13 13:12
-	101	(382/\$.ccls. or 348/\$.ccls. or 359/\$.ccls. or 356/\$.ccls. or 345/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3-D or stereo or stereoscopic\$4 or DDC.u/c. or depth) same (compar\$5 or correlat\$4) near3 (scene or library or generic or environment or milieu or setting)	USPAT; US-PGPUB	2004/05/13 13:21
-	68	(382/\$.ccls. or 348/\$.ccls. or 359/\$.ccls. or 356/\$.ccls. or 345/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth) same (outlin\$3 or trace\$1 or tracing or contour) same (compar\$5 or correlat\$4 or associat\$3 or correspond\$3 or coincid\$4) near3 (stored or model or template or reference or prototype)	USPAT; US-PGPUB	2004/05/11 13:47
-	2	(352/57,86.ccls.) and (outlin\$3 or trace\$1 or tracing or segment\$5 or isolat\$3) with (shape or object or subject or region or area or polygon or geometric or edge or boundary or contour) with (identified or tag\$4 or label\$4 or depth or DDC or ID.u/c.)	USPAT; US-PGPUB	2004/05/11 14:06
-	0	(352/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth) same (outlin\$3 or trace\$1 or tracing or contour) same (compar\$5 or correlat\$4 or associat\$3 or correspond\$3 or coincid\$4) with (scene or library or generic or background or environment or milieu or setting)	USPAT; US-PGPUB	2004/05/11 14:09
-	6	(352/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3-D or stereo or stereoscopic\$4 or DDC.u/c. or depth) same (compar\$5 or correlat\$4) near3 (scene or library or generic or environment or milieu or setting)	USPAT; US-PGPUB	2004/05/11 14:07

-	1	(352/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth) same (outlin\$3 or trace\$1 or tracing or contour) same (compar\$5 or correlat\$4 or associat\$3 or correspond\$3 or coincid\$4) near3 (stored or model or template or reference or prototype)	USPAT; US-PGPUB	2004/05/11 14:07
-	0	(352/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c.) same (outlin\$3 or trace\$1 or tracing) with (identify\$3 or identified or tag\$4 or label\$4)	USPAT; US-PGPUB	2004/05/11 14:08
-	0	(352/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereo or stereoscopic\$4 or DDC.u/c. or multi-view\$5) same (outlin\$3 or trace\$1 or tracing or edge or boundary or contour or segment\$5 or isolat\$3) near (shape or object or subject or region or area) with (identify\$3 or identified or tag\$4 or label\$4 or number\$3 or depth)	USPAT; US-PGPUB	2004/05/11 14:09
-	64	depth adj map\$4 with (stereo or stereoscopic\$4 or 3D or 3-D or (three or "3") adj dimension\$2) near (image or picture or pixel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:54
-	1	("6,351,572").PN.	USPAT; US-PGPUB	2004/05/11 15:24
-	100	(depth or range) near map\$4 same (outlin\$3 or trace\$1 or tracing or edge or boundary or contour or segment\$5 or isolat\$3) same (identif\$4 or label\$4 or tag\$4 or ID.u/c.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:27
-	4	("3772465"   "3824336"   "4606625"   "4809065").PN.	USPAT	2004/05/12 10:58
-	10	(depth or range) near map\$4 same (ramp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:09
-	49	depth with ramp same (imag\$3 or picture or pixel or camera or video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:38
-	17	(depth near map\$4) and ramp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:48
-	41	(382/\$.ccls. 348/\$.ccls. 345/\$.ccls.) and (texture or bump) near map\$4 with (lumin\$5 or intensity or chrominance or saturation or reflection or shadow or focus or sharpness) with (depth or range)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:20
-	253	((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4) same (outlin\$3 or trace\$1 or tracing or contour or border or boundary or edge or shape) with (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3) with (library or generic or stored or model or template or prototype) with (extract\$3 or segment\$5 or identif\$4 or locat\$3 or locali\$6 or find\$3 or determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 10:08

-	2	JP-11250257-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:42
-	18	((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4) same (outlin\$3 or trace\$1 or tracing or contour or border or boundary or edge or shape) with (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) with (bezier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 10:20
-	49	((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4) same (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) same (outlin\$3 or trace\$1 or tracing or contour or border or boundary or edge or shape or curve) with (bezier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 10:40
-	12	((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4) same (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) same (curve) with (unique\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 10:44
-	20	(compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) same (stor\$3 or library or memory or template or database or data adj base) with (curve) near\$5 (unique\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 11:04
-	1	((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4 or contour or outline or shape) same (stor\$3 or library or memory or template or database or data adj base) with (curve) with (unique\$2) near (identif\$7 or ID.u/c. or number or defin\$3 or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 10:53
-	9	(stor\$3 or library or memory or template or database or data adj base) with (curve) with (unique\$2) near (identif\$7 or ID.u/c. or number or defin\$3 or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 10:56
-	168	(382/\$.ccls. 348/\$.ccls. 345/\$.ccls.) and (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) with (stor\$3 or library or memory or template or database or data adj base) near\$3 (curve)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 11:35
-	1	("6,029,173").PN.	USPAT; US-PGPUB	2004/05/14 11:30
-	70	(382/\$.ccls. 348/\$.ccls. 345/\$.ccls.) and (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) with (stor\$3 or library or memory or template or database or data adj base) near (curve)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 11:36